

Force 5 (Serial # 0E009500 & up)

<u>Fuel</u>	<u>Part Number</u>	<u>Page</u>
Fuel Line Assembly (has 1/4 in. NPT threaded fitting on tank end and standard quick connect fitting on engine end)		
- 8 ft. (2.4 m)	32-877684Q 8 (Q/S)	57
- 8 ft. (2.4 m)	32-877684T 8 (MPP)	57
Plastic Fuel Tank - 3.2 gallon (12 L)		
- threaded fuel line connection.....	1260-859060A 2	56
- threaded fuel line connection and integral fuel level gauge	1260-859061A 1	55
Plastic Fuel Tank - 6.6 gallon (25 L)		
Box style		
- threaded fuel line connection.....	1265-859064A 1	56
- threaded fuel line connection and integral fuel level gauge	1265-859065A 1	55
Suitcase style		
- threaded fuel line connection.....	1259-859062A 1	56
- threaded fuel line connection and integral fuel level gauge	1259-859063A 1	55
Quick Disconnect – engine end	F197787Q 3 (Q/S)	60
– engine end	F197787T 3 (MPP)	60

Miscellaneous Accessories

Driveshaft Housing Extension Kit – 5 in.(127 mm). Converts 15 in.(381 mm) shaft to 20 in.(508 mm)	F5H093T	42
Flushing Attachment.....	820633	52

Force 9.9/15/25 (Serial # 0E288000 & up)

Remote Controls	Part Number	Page
Side Mount - MSC 4000 Series - Manual (25).....	881170A 4	434
Remote Control Attaching Kit (25).....	830771A 7	444
Throttle/Shift Cables – two required per engine.....	850716__Series	453

Fuel

Fuel Line Assembly (has 1/4 in. NPT threaded fitting on tank end for use with 1260-823504 and 1260-823505 series tanks)		
- 8 ft. (2.4 m)	32-877681Q 8 (Q/S)	57
- 8 ft. (2.4 m)	32-877681T 8 (MPP)	57
- 12 ft. (3.7 m)	32-877681Q12 (Q/S)	58
- 12 ft. (3.7 m)	32-877681T12 (MPP)	58
Fuel Line Assembly (has double sealed quick-connect fuel fitting on tank end and standard quick connect fitting on engine end)		
- 8 ft. (2.4 m).....	32-877680Q 8 (Q/S)	56
- 8 ft. (2.4 m).....	32-877680T 8 (MPP)	56
- 12 ft. (3.7 mm).....	32-877680Q12 (Q/S)	58
- 12 ft. (3.7 mm).....	32-877680T12 (MPP)	58
Plastic Fuel Tank - 3.2 gallon (12 L)		
- threaded fuel line connection.....	1260-859060A 2	56
- threaded fuel line connection and integral fuel level gauge	1260-859061A 1	55
- double sealed quick connection and integral fuel level gauge....	1260-859061A 2	54
Plastic Fuel Tank - 6.6 gallon (25 L) Box style		
- threaded fuel line connection.....	1265-859064A 1	56
- threaded fuel line connection and integral fuel level gauge	1265-859065A 1	55
- double sealed quick connection and integral fuel level gauge....	1265-859065A 3	54
Suitcase style		
- threaded fuel line connection.....	1259-859062A 1	56
- threaded fuel line connection and integral fuel level gauge	1259-859063A 1	55
- double sealed quick connection and integral fuel level gauge....	1259-859063A 2	54
Quick Disconnect - Engine End	22-13563Q 3 (Q/S)	60
- Engine End	22-13563T 3 (MPP)	60
- Tank End (double sealed).....	22-13563Q 7 (Q/S)	59
- Tank End (double sealed).....	22-13563T 7 (MPP)	59

Miscellaneous Accessories

Driveshaft Extension Kit – 5 in.(127 mm). Converts 15 in.(381 mm) shaft to 20 in.(508 mm)		
- (9.9/15) low profile only	FK1019-1T	43
Flushing Attachment - (9.9/15)	12612Q 2 (Q/S)	51
- (9.9/15).....	12612T 2 (MPP)	51
- (25).....	44357Q 2 (Q/S)	51
- (25).....	44357T 2 (MPP)	51

Steering

Ride Guide Attaching Kit		
- must be used with remote control attaching kit 830771A 7 to obtain steering arm.....	827889A 2	490

Force 40/50 (Serial # 0E288000 & up)

<u>Remote Controls</u>	<u>Part Number</u>	<u>Page</u>
Side Mount - MSC 4000 Series - Electric.....	881170A 3	434
- Trim with 15 ft. (4.6m) harness.....	881170A15	434
- Trim with 20 ft. (6.1m) harness.....	881170A20	434
Panel Mount - (non-trim) - Commander 3000 Classic Series.....	827270A41	432
- MPC 4000 Series (Gen II) - Pistol grip.....	883709A01	430
- MPC 4000 Series (Gen II) - Lock bar.....	883710A01	431
- (trim) - Commander 3000 Classic Series.....	827270A42	432
- MPC 4000 Series (Gen II) - Pistol grip.....	883709A02	430
- MPC 4000 Series (Gen II) - Lock bar.....	883710A02	431
Console Mount - (single engine, non-trim) - Commander Series.....	88688A27	436
- MCC 4500 Series (Gen II).....	883711A11	431
- (single engine, trim) - Commander Series.....	88688A25	435
- MCC 4500 Series (Gen II).....	883711A12	431
Remote Control Extension Harness - 10 ft. (3.0 m).....	84-17829A10	412
- 20 ft. (6.1 m).....	84-17829A20	412
Throttle/Shift Cables - (Gen I) (two required per engine).....	850716__Series	453
- (Gen II) (two required per engine).....	883719__Series	451

Instrumentation

	<u>Flagship +</u> (Black Face = A 1) (White Face = A11)	<u>Admiral +</u> (Black Face = Q 1) (White Face = Q 2)	<u>QSS</u> (Black Face = Q 1) (White Face = Q 2)	
Tachometer – 6000 rpm.....	79-859674A__	79-859674Q__	79-883620Q__	338-343
Tach Harness.....	84-86396A 8	84-86396A 8	84-86396A 8	411
Speedometer - 45/50 mph.....	79-859676A__	79-859676Q__	79-883622Q__	338-343
- 65 mph.....	79-859677A__	79-859677Q__	N/A	338-343
Battery Meter.....	79-859683A__	79-859683Q__	79-883626Q__	338-343
Fuel Gauge.....	79-859692A__	79-859692Q__	79-883633Q__	338-343
Cruiselog (hourmeter).....	79-859695A__	79-859695Q__	79-883636Q__	338-343
Clock.....	79-859696A__	79-859696Q__	N/A	338-343
Power Trim.....	79-859693A__	79-859693Q__	79-883634Q__	338-343
Power Trim Sender Kit.....	822573A12	822573A12	822573A12	385
Water Pressure Gauge (15 psi).....	79-859687A__	79-859687Q__	79-883629Q__	338-343
Water Temperature Gauge.....	79-859685A__	79-859685Q__	79-883628Q__	338-343
Water Temperature Sender.....	FA299791	FA299791	FA299791	N/A

Electrical

Ignition/Choke Assembly - 15 ft. (4.6 m).....	84-816626A15	406
- 20 ft. (6.1 m).....	84-816626A20	406
Remote Power Trim Switch Kit - 10 ft. (3.0 m).....	87-18286A18	417
- 25 ft. (7.6 m).....	87-18286A19	417

Fuel

Fuel Line Assembly (has double sealed quick-connect fuel fitting on tank end and standard quick connect fitting on engine end)		
- 8 ft. (2.4 m).....	32-877680Q 8 (Q/S)	56
- 8 ft. (2.4 m).....	32-877680T 8 (MPP)	56
- 12 ft. (3.7 mm).....	32-877680Q12 (Q/S)	58
- 12 ft. (3.7 mm).....	32-877680T12 (MPP)	58

Force 40/50 (Serial # 0E288000 & up) (cont.)

Fuel (cont.)

	<u>Part Number</u>	<u>Page</u>
Plastic Fuel Tank - 6.6 gallon (25 L) Box style		
- double sealed quick connection and integral fuel level gauge....	1265-859065A 3	54
Suitcase style		
- double sealed quick connection and integral fuel level gauge....	1259-859063A 2	54
Quick Disconnect - Engine End	22-13563Q 3 (Q/S)	60
- Engine End	22-13563T 3 (MPP)	60
- Tank End (double sealed).....	22-13563Q 7 (Q/S)	59
- Tank End (double sealed).....	22-13563T 7 (MPP)	59

Miscellaneous Accessories

Power Trim Kit.....	822344A 7	21
Gas Assist Manual Trim	828533A 2	26
Flushing Attachment - allows running engine	44357Q 2 (Q/S)	51
- allows running engine.....	44357T 2 (MPP)	51

Steering

Ride Guide Attaching Kit - (stbd).....	19608A14	489
- (port)	19609A 6	489

Force 75 (Serial # 0E345000 & up) & Force 90 and 120 (Serial # 0E288000 & up)

<u>Remote Controls</u>	<u>Part Number</u>	<u>Page</u>
Side Mount - MSC 4000 Series - Electric.....	881170A 3	434
- Trim with 15 ft.. (4.6m) harness.....	881170A15	434
- Trim with 20 ft.. (6.1m) harness.....	881170A20	434
Panel Mount - (non-trim) - Commander 3000 Classic Series.....	827270A41	432
- MPC 4000 Series (Gen II) - Pistol grip.....	883709A01	430
- MPC 4000 Series (Gen II) - Lock bar.....	883710A01	431
- (trim) - Commander 3000 Classic Series.....	827270A42	432
- MPC 4000 Series (Gen II) - Pistol grip.....	883709A02	430
- MPC 4000 Series (Gen II) - Lock bar.....	883710A02	431
Console Mount - (single engine, non-trim) - Commander Series.....	88688A27	436
- MCC 4500 Series (Gen II).....	883711A11	431
- (single engine, trim) - Commander Series.....	88688A25	435
- MCC 4500 Series (Gen II).....	883711A12	431
Remote Control Extension Harness - 10 ft. (3.0 m).....	84-17829A10	412
- 20 ft. (6.1 m).....	84-17829A20	412
Throttle/Shift Cables - (Gen I) (two required per engine).....	850716__Series	453
- (Gen II) (two required per engine).....	883719__Series	451

Instrumentation

	Flagship + (Black Face = A 1) (White Face =A11)	Admiral + (Black Face = Q 1) (White Face = Q 2)	QSS (Black Face = Q 1) (White Face = Q 2)	
Tachometer – 6000 rpm.....	79-859674A__	79-859674Q__	79-883620Q__	338-343
Tach Harness.....	84-86396A 8.....	84-86396A 8.....	84-86396A 8	411
Speedometer - 45/50 mph.....	79-859676A__	79-859676Q__	79-883622Q__	338-343
- 65 mph.....	79-859677A__	79-859677Q__	N/A	338-343
Battery Meter.....	79-859683A__	79-859683Q__	79-883626Q__	338-343
Fuel Gauge.....	79-859692A__	79-859692Q__	79-883633Q__	338-343
Cruiselog (hourmeter).....	79-859695A__	79-859695Q__	79-883636Q__	338-343
Clock.....	79-859696A__	79-859696Q__	N/A	338-343
Power Trim.....	79-859693A__	79-859693Q__	79-883634Q__	338-343
Power Trim Sender Kit.....	821400A 2.....	821400A 2.....	821400A 2	385
Water Pressure Gauge (30 psi).....	79-859688A__	79-859688Q__	79-883630Q__	338-343
Water Temperature Gauge.....	79-859685A__	79-859685Q__	79-883628Q__	338-343
Water Temperature Sender.....	FA299791.....	FA299791.....	FA299791.....	N/A

Electrical

Ignition/Choke Assembly - 15 ft. (4.6 m).....	84-816626A15	406
- 20 ft. (6.1 m).....	84-816626A20	406
Remote Power Trim Switch Kit - 10 ft. (3.0 m).....	87-18286A18	417
- 25 ft. (7.6 m).....	87-18286A19	417

Force 75 (Serial # 0E345000 & up) & Force 90 and 120 (Serial # 0E288000 & up) (cont.)

<u>Fuel</u>	<u>Part Number</u>	<u>Page</u>
Fuel Line Assembly (has double sealed quick-connect fuel fitting on tank end and standard quick connect fitting on engine end)		
- 8 ft. (2.4 m).....	32-877680Q 8 (Q/S)	56
- 8 ft. (2.4 m).....	32-877680T 8 (MPP)	56
- 12 ft. (3.7 mm).....	32-877680Q12 (Q/S)	58
- 12 ft. (3.7 mm).....	32-877680T12 (MPP)	58
Plastic Fuel Tank - 6.6 gallon (25 L) Box style		
- double sealed quick connection and integral fuel level gauge....	1265-859065A 3	54
Suitcase style		
- double sealed quick connection and integral fuel level gauge....	1259-859063A 2	54
Quick Disconnect - Engine End	22-13563Q 3 (Q/S)	60
- Engine End	22-13563T 3 (MPP)	60
- Tank End (double sealed).....	22-13563Q 7 (Q/S)	59
- Tank End (double sealed).....	22-13563T 7 (MPP)	59
 <u>Miscellaneous Accessories</u>		
Power Trim - (75).....	832021A 6	21
- (90/120) (s/n 0E093700-0E173408)	830250A 6	22
Trailer Tilt Lock Kit (90/120).....	99629A 4	27
Driveshaft Housing Ext. Kit – 5 in.(127 mm). Converts 20 in. (508 mm) shaft to 25 in. (635 mm).....	12092A15	43
Flushing Attachment.....	820634	52
 <u>Steering</u>		
Ride Guide Attaching Kit	92876A10	489